Page: 40 Run Date: 12/31/03

	Summary	of Trend	ds in Infa	ant Heal	th Indica	tors by	Race/Ethr	nicity	(2)	
Race/Ethnicity and Year		Birthweight			Preterm (5)		Full Term LBW (6)		Ever Breastfed	
			Low (3)	High (4)	(3)		(0)			
		Number	%	%	Number	%	Number	%	Number	%
White, Not Hispanic	2002 2001 2000	290,438 293,946 292,838	7.3 7.2 7.0	8.6 9.0 9.5	284,427 261,878 262,260	10.2 9.9 9.8	245,992 225,464 229,816	3.5 3.5 3.4	294,143 286,969 282,861	53.9 52.8 51.4
Black, Not Hispanic	2002 2001 2000	138,507 141,479 135,558	11.4 10.9 11.0	4.6 5.0 5.3	138,779 117,170 116,924	13.9 13.3 13.4	111,650 94,034 94,213	5.8 5.8 5.7	144,576 143,358 135,940	42.6 41.9 39.9

- (1) Reporting period is January 1 through December 31.
- (2) Excludes data with errors.
- (3) <2500 g.
- (4) >4000 g.
- (5) <37 weeks gestation.
- (6) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Page: 41 Run Date: 12/31/03

	Summary	of Trend	ls in Infa	ant Heal	th Indica	tors by	Race/Eth	nicity	(2)	
Race/Ethnicity and Year		Birthweight			Preterm		Full Term LBW		Ever Breastfed	
			Low (3)	High (4)	(5)		(6)			
		Number	%	%	Number	%	Number	%	Number	%
Hispanic	2002 2001 2000	114,489 109,434 93,700	5.7 5.8 5.9	8.1 8.4 8.6	113,516 86,984 74,284	10.5 10.3 10.3	95,642 71,709 61,750	2.6 2.7 2.7	118,080 105,999 89,136	74.7 73.4 71.4
American Indian/Alaska	an Native2002 2001 2000	6,181 5,793 6,159	6.7 6.4 6.2	11.0 11.8 11.8	6,862 6,432 5,971	11.2 11.4 10.9	5,268 4,881 5,235	3.0 2.5 2.8	6,082 6,027 5,796	56.0 57.3 59.0

- (1) Reporting period is January 1 through December 31.
- (2) Excludes data with errors.
- (3) <2500 g.
- (4) >4000 g.
- (5) <37 weeks gestation.
- (6) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Page: 42 Run Date: 12/31/03

;	Summary	of Trend	ls in Infa	ant Heal	th Indica	tors by	Race/Eth	nicity	(2)	
Race/Ethnicity and Year		Birthweight			Preterm (5)		Full Term LBW (6)		Ever Breastfed	
			Low (3)	High (4)	(0)		(0)			
		Number	%	%	Number	%	Number	%	Number	%
Asian/Pacific Islander	2002 2001 2000	16,712 16,400 15,735	8.1 8.0 7.7	5.8 6.0 6.0	9,904 15,348 14,739	10.2 6.3 6.5	15,033 13,861 13,363	6.4 6.1 5.7	14,512 14,021 13,335	65.3 62.5 57.0
All Other/Unknown	2002 2001 2000	6,486 6,513 4,924	7.6 7.1 7.2	8.3 7.7 8.1	5,809 6,199 4,721	10.9 11.0 11.6	4,846 5,218 3,892	3.0 3.3 3.5	6,601 6,232 4,643	63.9 67.0 67.1

- (1) Reporting period is January 1 through December 31.
- (2) Excludes data with errors.
- (3) <2500 g.
- (4) >4000 g.
- (5) <37 weeks gestation.
- (6) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.



Page: 43 Run Date: 12 / 31 / 03

Su	mmary	of Trend	s in Infa	nt Heal	th Indica	tors by	Race/Ethi	nicity	(2)	
Race/Ethnicity and Year		Birthweight			Preterm (5)		Full Term LBW (6)		Ever Breastfed	
		Low High (3) (4)								
		Number	%	%	Number	%	Number	%	Number	%
Total All Race/Ethnic Groups	2002 2001 2000	572,813 573,565 548,914	8.0 7.9 7.8	7.5 7.8 8.2	559,297 494,011 478,899	11.2 10.7 10.7	478,431 415,167 408,269	4.0 4.0 3.9	583,994 562,606 531,711	55.7 54.4 52.2



⁽¹⁾ Reporting period is January 1 through December 31.

⁽²⁾ Excludes data with errors.

^{(3) &}lt;2500 g.

^{(4) &}gt; 4000 g.

^{(5) &}lt;37 weeks gestation.

^{(6) 37} or more weeks gestation and <2500 g.

^{*} Percentages are not calculated if <100 records are available for analysis after exclusions.